

# AVAMIX



Intertek



Intertek

928CJ180

## Citrus Juicer

# SAFETY

---

Juicer should only be operated by trained individuals.  
Be sure to read the operation and safety manual before using.

---

**CAUTION:** DO NOT SUBMERGE MOTOR IN WATER

**CAUTION:** AVOID CONTACT WITH MOVING PARTS

**CAUTION:** DO NOT OPERATE WITH DAMAGED CORD OR PLUG

To avoid damage to the cord, do not allow it to hang over the edge of the counter or touch a hot surface.

# ASSEMBLY

---

Be sure unit is unplugged before assembly and disassembly.

---

1. Position bowl so it is flat on the motor housing.
2. Adjust spout position.
3. Place desired size reamer and strainer inside the bowl and rotate until the motor drive coupling is in position.

# OPERATION

---

1. After unit is properly assembled (see assembly instructions), plug into 120V outlet.
2. Switch unit to "ON" (allow motor to reach full speed before proceeding).
3. Place halved fruit on reamer and apply firm downward pressure.
4. DO NOT press so hard that the reamer stops spinning. This can wear down the motor over time and is not necessary to juice the citrus fruit being used.

**CAUTION:** AVOID CONTACT WITH MOVING PARTS

# CLEANING

---

Be sure unit is unplugged before assembly and disassembly.

---

1. Remove reamer/strainer from bowl and bowl from motor housing.
  2. Wipe motor housing and all external surfaces with soft damp cloth.
- CAUTION:** DO NOT SUBMERGE MOTOR IN WATER
3. Wash reamer/strainer and bowl with mild soap (such as Noble Chemical's 147SUNBRIGHT) and warm water.
  4. Allow parts to dry and reassemble (see assembly instructions).

# WARRANTY

---

All new Avamix juicers used for commercial purpose are warranted against defects in materials and workmanship under normal use and maintenance. This warranty runs for 2 years from the date of purchase and is for the original purchaser only. All other warranties, expressed or implied, statutory or otherwise, including without limitation any implied warranty of merchantability for fitness for purposes are excluded. The seller shall in no event be liable for direct, indirect or consequential damages in connection with Avamix.

**Exclusions - The following conditions are not covered by warranty:**

- Equipment damage or equipment failure occurs because of accident, carelessness, lack of proper set-up, supervision when required, or if the equipment is installed or operated in any manner contrary to the installation and operating instructions.
- Equipment damage or equipment failure due to improper installation, improper utility connection or supply.
- Equipment that has not been used appropriately, or has been subject to misuse, neglect, abuse, accident, alteration, negligence, damage during transit, delivery or installation, fire, flood, or act of God.
- Equipment that has the model number or serial number removed or altered.
- Equipment that has been changed, altered, or modified or repaired by other than an authorized service agency. Avamix shall not be held liable for any damages to any person or property which may result from the use of the equipment thereafter.
- This warranty does not apply to, and Avamix is not responsible for any warranty claims on products sold or used outside of the contiguous United States.
- This equipment is intended for commercial use only. Warranty is void if equipment is installed in non-commercial applications.